

DAXLIFTER



**QINGDAO DAXIN
MACHINERY CO.,LTD**

GOOD PARKING,GOOD LIFE

DAXLIFTER

QINGDAO DAXIN MACHINERY CO.,LTD


Address: Shouchuang Industry Park,Qingdao City,China.

Tel: +86-15192782747

Website: www.daxlifter-pl.com

Email: sales@daxmachinery.com





10000m²
Factory area

100⁺
The size of workers

100⁺
Export country

10⁺
Technical team

1000⁺
Annual sales volume/units

20⁺
Sales and Service Team

Manage your space ,make magic parking solution

- 01

Standard parking lifts for you,make simple solution: DAXLIFTER can provide many standard parking equipment models for you to choose from. If your needs are relatively simple, just choose a standard model to meet your needs.
- 02

Custom parking solution only for you: DAXLIFTER can also provide you with many customized solutions according to your site conditions and personal ideas. Intelligent parking equipment is used in combination with simple parking equipment, and ground parking equipment is used in combination with underground parking equipment. In addition, DAXLIFTER can customize personalized solutions for you including size, parking height, load and color.
- 03

Green development and environmental protection: DAXLIFTER has always been committed to protecting the environment and green development. A more convenient parking method combined with an intelligent parking system can greatly reduce road congestion and reduce automobile emissions. It can improve people's travel efficiency and increase people's happiness index. Green, low-carbon and environmentally friendly travel methods are an important part of future social development.

DAXLIFTER is a Chinese supplier specializing in the design, production and sale of Parking Lifts. Products include Two Post Parking Lift, Four Post Parking Lift, Scissor Parking Lift and Sliding Parking Lift, etc. In addition to designing, producing and selling standard models of Parking Lifts, DAXLIFTER also provides customized services for global customers, including size, style, load, height, color, etc.

Certification icon



QINGDAO DAXIN
MACHINERY CO.,LTD

CONTENTS OF DAXLIFTER

•	<i>Two Post Parking Lift.....</i>	<i>01</i>
•	<i>Two Post 3 Level Parking Lift</i>	<i>04</i>
•	<i>Two Post Pit Parking Lift.....</i>	<i>07</i>
•	<i>Four Post Parking Lift</i>	<i>10</i>
•	<i>Four Post 3 Level Parking Lift.....</i>	<i>13</i>
•	<i>Heavy Duty Four Post 3 Car Parking Lift</i>	<i>16</i>
•	<i>Four Post 4 Level Parking Lift</i>	<i>19</i>
•	<i>Four Post Four Car Parking Lift.....</i>	<i>21</i>
•	<i>Scissor Parking Lift</i>	<i>24</i>
•	<i>Pit Scissor Parking Lift</i>	<i>26</i>
•	<i>Two Level Multi-Platform Parking Lift</i>	<i>28</i>
•	<i>Multi-Level Sliding Automatic Parking System</i>	<i>31</i>

DAXLIFTER

QINGDAO DAXIN MACHINERY CO LTD .

Two Post Parking Lift

Model. TPL2321/2721/3221



Summary

DAXLIFTER® TPL®-Series Parking Lift are an industry favorite due to economic price and best working performance. Ideal for use in 4S shop, Car storage shop, parking lots and hope applications. And they boast easy operation and installation.



Quick View

- Offer 2300kg,2700kg or 3200kg capacity selection
- Approve heights of car up to 2050mm
- Support custom parking heights
- Electric unlock make easy operation
- Safety 24v control
- Galvanized wave plate platform with best quality
- Bolts and nuts pass 48 hours salt spray test
- Hydraulic system support lifting
- Synchronous chain can maintain the platform level under any conditions
- BZK powder coating combined with automotive-grade paint process provides long-lasting surface protection
- Offer Best quality and approved by CE.

General Technical Data


Model	TPL2321	TPL2721	TPL3221
Parking Space	2	2	2
Capacity	2300kg	2700kg	3200kg
Allowed Car Wheelbase	3385mm	3385mm	3385mm
Allowed Car Width	2222mm	2222mm	2222mm
Lifting Structure	Hydraulic Cylinder&Chains	Hydraulic Cylinder&Chains	Hydraulic Cylinder&Chains
Operation	Control Panel	Control Panel	Control Panel
Lifting Speed	<48s	<48s	<48s
Electric Power	100-480v	100-480v	100-480v
Surface Treatment	Power Coated	Power Coated	Power Coated
Hydraulic cylinder qty	Single	Single	Double

Power Unit




Model	TPL2321 / TPL2721 / TPL3221
Motor	2.2kw
Pump Flow	2.6ML/r
Pump Pressure	16-17Mpa
Hydraulic Oil	46#/68#
Lifting Chain	LH1266
Horizontal Chain	LH1066


• Dimension—TPL2321



• Dimension—TPL2721



• Dimension—TPL3221



DAXLIFTER

QINGDAO DAXIN MACHINERY CO LTD .

Two Post 3 Level Parking Lift

Model. TPL-3 2016



• Summary

DAXLIFTER® TPL-3®-Series Automatic 2 post 3 level parking car stacker is a high-quality parking elevator designed to solve the problem of limited parking space. If your garage has enough height, you can choose our double-post three-car parking elevator. The system efficiently stacks three vehicles, maximizing parking capacity within a compact footprint.




• Quick View

- Offer 2000kg capacity selection
- Electric unlock make easy operation
- Galvanized wave plate platform with best quality
- Bolts and nuts pass 48 hours salt spray test
- Synchronous chain can maintain the platform level under any conditions
- Automatic shut-off when operator releases key switch

• General Technical Data



Model	TPL-3 2016
Parking Space	3
Capacity	2000kg each floor
Top Platform Length(Max allowed wheelbase)	3606mm
Middle Platform Length(Max allowed wheelbase)	3714mm
Platform Width(Max allowed car width)	2111mm
Lifting Structure	Hydraulic Cylinder& Chains
Operation	Control Panel
Weight	2500kg
Electric Power	100-480v, customize
Motor	2.2kw
Surface Treatment	Power Coated

• Power Unit



Model	TPL-3 2016
Motor	2.2kw
Pump Flow	2.6ML/r
Pump Pressure	16-17Mpa
Hydraulic Oil	46#/68#
Lifting Chain	LH1266
Horizontal Chain	LH1066

• Dimension—TPL-3 2016



DAXLIFTER


QINGDAO DAXIN MACHINERY CO LTD .

Two Post Pit Parking Lift



• Summary


DAXLIFTER® PPL®-Series hydraulic pit parking lift is a parking system that can be installed in a pit. It is very suitable for installation in places where the top cannot be raised. It adopts an electro-hydraulic synchronous control system, which is more environmentally friendly, requires less maintenance and is more efficient than the previous mechanical synchronous system.




• General Technical Data

Model	Platform Load	Parking Height
PPL2520	2500kg	2000mm
PPL2518	2500kg	1850mm
PPL2518-D	2500kg	1850mm


• Dimension—PPL2520



• Dimension—PPL2518



• Dimension—PPL2518-D



DAXLIFTER

QINGDAO DAXIN MACHINERY CO LTD .

Four Post Parking Lift

Model. FPL2718/FPL2720/3218/3618...



• Summary

DAXLIFTER® FPL®-Series Parking Lift are an industry favorite due to economic price and best working performance. — Ideal for use in 4S shop, Car storage shop, parking lots and hope applications. And, they boast easy operation and installation.



• Quick View

- Offer 2700kg, 3200kg or 3600kg capacity selection
- Support custom parking heights, 1.8m, 2m, 2.6m, 3m...
- Manual unlock more economic, optional electric unlock make easy operation
- Hydraulic cylinder and steel rope drive system for smooth operation
- Limited switch on the main post, activated by platform (when the platform go to the appointed height, it will automatic stopped to avoid the wrong operation)
- Dynamic mechanical locks as anti-falling device hold the platform in place
- Platform can be stopped at different heights to fit for various vehicles and ceiling heights
- Hydraulic overloading protection
- Lateral protection wings at two sides of platform will prevent vehicles going out.
- Emergency stop button.
- Offer Best quality and approved by CE.


• General Technical Data

Model	FPL2718	FPL2720	FPL3218	FPL3618
Parking Space	2	2	2	2
Capacity	2700kg	2700kg	3200kg	3600kg
Parking Height	1800mm	2000mm	1800mm	1800mm
Allowed Car Wheelbase	4200mm	4200mm	4200mm	4200mm
Allowed Car Width	2361mm	2361mm	2361mm	2361mm
Lifting Structure	Hydraulic Cylinder& Steel Rope			
Operation	Manual (Optional: electric/automatic)			
Motor	2.2kw	2.2kw	2.2kw	2.2kw
Lifting Speed	<48s	<48s	<48s	<48s
Electric Power	100-480v	100-480v	100-480v	100-480v
Surface Treatment	Power Coated (Customize Color)			


• Optional

Electric Unlock with Control Box	
Middle Steel Panels	
	

• Dimension—FPL2718



• Dimension—FPL2720



DAXLIFTER

QINGDAO DAXIN MACHINERY CO LTD .

Four Post 3 Level Parking Lift

Model. FPL-3 2518/ 2519/2520



Summary

DAXLIFTER® FPL-3®-Series Parking Lift is a custom made four post car parking lift. It is formed by the combination of two four-post lifts, which saves more space. It is favored by the industry for its economical price and best working performance. — Suitable for 4S shop, car storage shop, parking lots and hope application. Also, they are easy to operate and install.



Quick View

- Offer 1700mm, 1800mm, 1900mm, 2000mm and 2100mm lifting height selection
- Approve capacity is 2500kg at 2F, 2300kg at 3F
- Support custom parking heights
- Electric unlock make easy operation
- Galvanized wave plate platform with best quality
- Bolts and nuts pass 48 hours salt spray test
- Hydraulic system support lifting
- Synchronous cable can maintain the platform level under any conditions
- BZK powder coating combined with automotive-grade paint process provides long-lasting surface protection
- Offer Best quality and approved by CE.


General Technical Data

Model	FPL-3 2518	FPL-3 2519	FPL-3 2520
Parking Space	3	3	3
Capacity	2F 2500kg, 3F 2300kg	2F 2500kg, 3F 2300kg	2F 2500kg, 3F 2300kg
Each Floor Height (Customized)	1800mm	1900mm	2000mm
Lifting Structure	Hydraulic Cylinder & Steel Rope	Hydraulic Cylinder & Steel Rope	Hydraulic Cylinder & Steel Rope
Operation	Push buttons (electric/automatic)		
Motor	3kw	3kw	3kw
Lifting Speed	60s	60s	60s
Electric Power	100-480v	100-480v	100-480v
Surface Treatment	Power Coated	Power Coated	Power Coated


Optional Devices

Galvanized Surface		
Middle Steel Panels		


• Dimension—FPL-3 2518



• Dimension—FPL-3 2519



• Dimension—FPL-3 2520



DAXLIFTER

QINGDAO DAXIN MACHINERY CO LTD .


Heavy Duty Four Post 3 Car Parking Lift

Model. FPL-3 3018/3019/3020...



• Summary

DAXLIFTER® FPL-3®-Series Parking Lift is a custom made four post car parking lift. It is formed by the combination of two four-post lifts, which saves more space. It is favored by the industry for its economical price and best working performance. — Suitable for 4S shop, car storage shop, parking lots and home application. Also, they are easy to operate and install.




• Quick View

- Integrating two units parking lifts together
- Capacity 3000kg middle platform, Top 2700kg.
- Each Floor Height: 1800mm/1900mm/2000mm or customize
- Hydraulic driven by cylinders + steel ropes
- Dynamic anti-falling locks (ladder lock) inside each post
- Electric auto lock release
- Foldable ramps catering sports cars & low-profile cars
- Convenient & individual control of each level parking lift
- Emergency stop button in case of emergencies
- Limited switch on the main post, activated by platform
- Offer Best quality and approved by CE.


General Technical Data

Model	FPL-3 3018	FPL-3 3019	FPL-3 3020
Parking Space	3	3	3
Capacity(Middle)	3000kg	3000kg	3000kg
Capacity(Top)	2700kg	2700kg	2700kg
Each Floor Height	1800mm	1900mm	2000mm
Allowed Car Wheelbase	4200mm	4200mm	4200mm
Allowed Car Width	2330mm	2330mm	2330mm
Lifting Structure	Hydraulic Cylinder& Steel Rope		
Operation	Electric Unlock		
Motor	3kw	3kw	3kw
Lifting Speed	<60s	<60s	<60s
Electric Power	100-480v	100-480v	100-480v
Surface Treatment	Power Coated (Customize Color)		


Optional

Galvanized Surface		
Middle Steel Panels		

Dimension—FPL-3 3018



Dimension—FPL-3 3019



DAXLIFTER

QINGDAO DAXIN MACHINERY CO LTD .

Four Post 4 Level Parking Lift



• Summary


DAXLIFTER® FPL-4®-Series car parking lift can park 4 cars in one parking space at the same time, which makes the land use more efficient. The adjacent lifts are connected to each other, which makes the structure more stable. It can be installed indoors or outdoors and can withstand strong winds. It has a high load capacity and can accommodate many types of vehicles.



• General Technical Data

Model	Platform Load	Parking Height
FPL-4 2519	2500kg	1900mm

• Dimension



DAXLIFTER

QINGDAO DAXIN MACHINERY CO LTD .

Four Post Four Car Parking Lift

Model. FFPL 4018/4020...



Summary

DAXLIFTER® FFPL®- Four post 4cars parking lift can provide four parking spaces. Suitable for parking and storage of multiple vehicles cars. It can be customized according to your installation site, and the structure is more compact, which can greatly save space and cost. The upper two parking spaces and the lower two parking spaces, with a total load of 4 tons, can park or store up to 4 vehicles.






Quick View

- Double-wide design for 4 vehicles
- Support custom parking heights
- Hidden single hydraulic cylinder
- Surface treatment: powder coating
- Increased sheave diameter reduces cable fatigue
- Bolts and nuts pass 48 hours salt spray test
- Mechanical anti-falling locks allow multiple stopping heights
- Low wear, proven hydraulic technology
- Protective device against loosening and breaking of steel rope
- Surface treatment: powder coatin


General Technical Data

Model	FFPL 4018	FFPL 4020
Parking Space	4	4
Capacity	4000kg	4000kg
Parking Height	1800mm	2000mm
Allowed Max Car Wheelbase	4394mm	4794mm
Allowed Max Wheel Track	1952mm	1952mm
Lifting Structure	Hydraulic Cylinder& Steel Rope	
Operation	Electric Unlock with Control Panel	
Motor	3kw	3kw
Lifting Speed	<48s	<48s
Electric Power	100-480v	100-480v
Surface Treatment	Power Coated (Customize Color)	


Optional Devices

Galvanized Surface		
Middle Steel Panels		

• Dimension—FFPL 4018



• Dimension—FFPL 4020



DAXLIFTER

QINGDAO DAXIN MACHINERY CO LTD .

Scissor Parking Lift



• Summary


DAXLIFTER® SPL®-Series scissor-type parking lift is a parking platform that relies on a scissor-type structure to lift. The overall structure is relatively simple, so it does not need to be installed. After receiving the goods, you can simply fix it and use it. Compared with the column-type parking lift, the scissor-type takes up less installation space and can be installed in the home garage to easily add a parking space.



• General Technical Data

Model	Platform Load	Parking Height
SPL2720	2700kg	2000mm

• Dimension



DAXLIFTER

QINGDAO DAXIN MACHINERY CO LTD .

Pit Scissor Parking Lift



• Summary




DAXLIFTER® PSPL®-Series double platform scissor lift can park two cars at the same time. The whole lift is lifted by the scissor structure, and the lifting is smooth and the structure is stable. It is usually installed in the pit or between the upper and lower floors. Different platform sizes, heights or loads can be customized according to the site to match the customer's site.



• General Technical Data

Model	Parking Height	Platform Size	Each Space Load
PSPL2530	3075mm (Customize)	5500x2700mm (Customize)	2500kg (Customize)

• Dimension



DAXLIFTER

QINGDAO DAXIN MACHINERY CO LTD .

Two Level Multi-Platform Parking Lift



• Summary

DAXLIFTER® FPL-M®-Series Puzzle Parking Lift is a double-layer parking system that can customize the number of lateral parking spaces. Compared with ordinary standard post type parking lifts, puzzle lift platform has fewer columns, saves more installation space, and has a more spacious space at the bottom of the platform. It can be used in the construction industry or automobile warehousing and other industries.




• Quick View

- Customize multiple parking spaces
- Capacity 2000kg 2500kg, max customize 3000kg.
- Each Floor Height: 1800mm-2200mm or other solution we can talk more
- Hydraulic driven by cylinders + steel ropes
- Anti-fall Device & Anti-fall Chain & Mechanical Anti-falling Frame
- Rugged Posts & Beams Construction with H Steel
- Multiple Electrical Safety Devices
- Multiple security measures, like Emergency Button
- Offer Best quality and approved by CE.
- Save installation width



• General Technical Data

Model	FPL-M 3017	FPL-M 3018	FPL-M
Number of Floor	2 Floors	2 Floors	2 Floors
Parking Space	10Pcs	15Pcs	10...40Pcs or more
Capacity	3000kg	3000kg	2000/2500/3000kg
Each Floor Height	1750	1850mm	Customize
Allowed Car Length	5200mm	5200mm	Customize
Allowed Car Wheel Track	2000mm	2200mm	Customize
Allowed Car Height	1700mm	1800mm	Customize
Lifting Structure	Hydraulic Cylinder& Steel Rope		
Operation	Electric Control Panel		
Motor	3.7Kw lifting motor	3.7Kw lifting motor	Customize
Electric Power	100-480v	100-480v	100-480v
Surface Treatment	Power Coated (Customize Color)		

• Optional

Galvanized Surface	
Shed	
Doors	

• Dimension—FPL-M 3017



DAXLIFTER

QINGDAO DAXIN MACHINERY CO LTD .

Multi-Level Sliding Automatic Parking System



Summary

DAXLIFTER® FPL-MS®-Series Parking Lift is a mechanical parking lifting platform that can customize the number of parking spaces horizontally and vertically according to the installation site. Different parking spaces can be raised and lowered or moved horizontally, so that different customers' cars can be parked in different spaces. It can be installed indoors or outdoors. When customizing the quantity, we will design a suitable solution based on the customer's site size and the number of parking spaces. When installed outdoors, it can be customized into a galvanized surface to improve the anti-corrosion and anti-rust performance, thereby extending the service life. At the same time, the top shed is optional.





Quick View

- Customize multiple parking spaces
- Capacity 2000kg 2500kg, max customize 3000kg.
- Each Floor Height: 1800mm-2200mm or other solution we can talk more
- Hydraulic driven by cylinders + steel ropes
- Anti-fall Device & Anti-fall Chain & Mechanical Anti-falling Frame
- Rugged Posts & Beams Construction with H Steel
- Intelligent PLC Software Control, independent entry and exit of vehicles
- Multiple Electrical Safety Devices
- Intelligent Fault Detection
- Multiple security measures, like Emergency Button
- Offer Best quality and approved by CE.


General Technical Data

Model	FPL-MS 3020	FPL-MS 3022	FPL-MS
Parking Space	35Pcs	40Pcs	10...40Pcs or more
Number of Floors	2 Floors	2 Floors	2....10 Floors
Capacity	3000kg	3000kg	2000/2500/3000kg
Each Floor Height	2020mm	2220mm	Customize
Allowed Car Length	5200mm	5200mm	Customize
Allowed Car Wheel Track	2000mm	2200mm	Customize
Allowed Car Height	1900mm	2100mm	Customize
Lifting Structure	Hydraulic Cylinder& Steel Rope		
Operation	Intelligent PLC Software Control Independent entry and exit of vehicles		
Motor	3.7Kw lifting motor 0.4Kw traverse motor	3.7Kw lifting motor 0.4Kw traverse motor	Customize
Electric Power	100-480v	100-480v	100-480v
Surface Treatment	Power Coated (Customize Color)		


Optional

Galvanized Surface		
Shed		
Doors		

• Dimension—FPL-MS 3020



• Dimension—FPL-MS 3022



DAXLIFTER

QINGDAO DAXIN MACHINERY CO LTD .

Customer case




Customer case



United States NY Public Parking Solution



United Kingdom Essex Car Storage Parking Solution



Kuwait Hamad Rashed Alalban Car Care Center


Customer case



United Kingdom Birmingham Refitted Vehicle Center



Japan Personal Parking Solution



Hongkong Mazda Center